This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	9111	(retriev\$5 near5 (information data resource\$2)) and (request\$5	USPAT;	2002/07/16 09:49
		same (user\$2 client\$2)) and (XML (extensible markup	US-PGPUB;	
		language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)	DERWENT; IBM_TDB	
_	36	((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2003/04/07 11:40
		(request\$5 same (user\$2 client\$2)) and (XML (extensible	US-PGPUB;	2000/01/07 11:40
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj	DERWENT,	
		protocol)) and (html (hyper adj text adj markup adj	IBM_TDB	
		language\$2)) and (xsl stylesheet\$2)		0000107110 17 00
-	73	((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2002/07/18 17:33
		(request\$5 same (user\$2 client\$2)) and (XML (extensible markup language\$2)) and (convert\$5 generat\$5 transform\$5	US-PGPUB; EPO; JPO;	
		transmit\$5)) and (http (hyperText adj transfer adj protocol))	DERWENT;	
		and (html (hyper adj text adj markup adj language\$2)) and (xsl	IBM TDB	
		stylesheet\$2)	<u>_</u> ,,,,,	
-	36	((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2002/07/18 17:34
		(request\$5 same (user\$2 client\$2)) and (XML (extensible	US-PGPUB;	
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj	DERWENT;	
		protocol)) and (html (hyper adj text adj markup adj	IBM_TDB	
_	37	language\$2)) and (xsl stylesheet\$2) (((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2002/07/23 11:33
	0,	((request\$5 same (user\$2 client\$2)) and (XML (extensible	US-PGPUB;	2002/01/25 11.55
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and (http (hyperText adj transfer adj protocol))	DERWENT;	
		and (html (hyper adj text adj markup adj language\$2)) and (xsl	IBM_TDB	
		stylesheet\$2)) Not (((retriev\$5 near5 (information data		
		resource\$2)) and (request\$5 same (user\$2 client\$2)) and		∞
		(XML (extensible markup language\$2)) and (convert\$5		
		generat\$5 transform\$5 transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj protocol)) and (html (hyper adj text		
		adj markup adj language\$2)) and (xsl stylesheet\$2))		
_	47	(request\$5 same (user\$2 client\$2)) and (XML (extensible	USPAT;	2002/07/23 11:33
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	US-PGPUB,	
		transmit\$5) and (http (hyperText adj transfer adj protocol))	EPO; JPO;	
		and (html (hyper adj text adj markup adj language\$2)) and (xsl	DERWENT;	
	45400	stylesheet\$2) and filter\$5	IBM_TDB	2002/07/22 40-44
-	45409	(request\$5 same (identit\$5 identif\$5))	USPAT; US-PGPUB;	2002/07/22 10:14
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	790	(parameter\$2 same identity same (client\$2 user\$2))	USPAT;	2002/07/22 11:14
			US-PGPUB;	
χ.			EPO; JPO;	
			DERWENT;	
_	29	((parameter\$2 same identity same (client\$2 user\$2))) and	IBM_TDB USPAT;	2002/07/22 10:35
-	29	((parameter\$2 same identity same (client\$2 user\$2))) and XML	US-PGPUB;	2002/01/22 10.35
		, XVIII.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7038	(parameter\$2 same (identity identif\$5) same (client\$2 user\$2))	USPAT,	2002/07/22 11:16
			US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
_	5	(((((parameter\$2 same (identity identif\$5) same (client\$2	IBM_TDB USPAT;	2002/07/23 11:23
		user\$2))) and xml) and filter\$5) and xsl	US-PGPUB;	2002/01/23 11.23
		223.7=/// Sind Anny and interpoly and Au	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	111	(((parameter\$2 same (identity identif\$5) same (client\$2 user\$2))) and xml) and filter\$5	USPAT; US-PGPUB; EPO; JPO;	2002/07/22 13:33
			DERWENT;	
	103	(phone same (user\$2 client\$2) same (id identity)) and xml	IBM_TDB USPAT;	2002/07/22 15:44
-	103	(phone same (user\$2 client\$2) same (to identity)) and xim	US-PGPUB;	2002/07/22 13.44
			EPO; JPO;	
			DERWENT;	
	105	700/007	IBM_TDB	0000/07/04 00 04
-	165 118	709/207.ccls. ((parameter\$2 same identity same (client\$2 user\$2))) and	USPAT USPAT;	2002/07/24 08:31 2003/01/02 13:29
-	110	XML	US-PGPUB;	2003/01/02 13.29
			EPO; JPO;	
			IBM_TDB	
-	83	(((parameter\$2 same identity same (client\$2 user\$2))) and	USPAT;	2003/01/02 13:45
		XML) and (server\$2 same object\$2)	US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	4	("6401132" "6154738" "6125391" "6301471").pn.	USPAT;	2003/01/02 13:46
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
_	2	(("6401132" "6154738" "6125391" "6301471").pn.) and	USPAT;	2003/01/02 13:48
	_	(object\$2 same server\$2)	US-PGPUB;	
]		EPO; JPO;	
	3	(/"C401122" "C154729" "C195201" "C201471") pp) and	IBM_TDB USPAT;	2003/01/02 13:48
-	3	(("6401132" "6154738" "6125391" "6301471").pn.) and (object\$2 (object\$2 same server\$2))	US-PGPUB;	2003/01/02 13.46
		(00)00.42 (00)00.42 00.110 00.110.42//	EPO; JPO;	
			IBM_TDB	
-	718	((parameter\$2 same (identity identif\$5) same (client\$2	USPAT;	2003/04/07 09:53
		user\$2))) and xml	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	108	((retriev\$5 near5 (information data resource\$2)) and (request\$5 same (user\$2 client\$2)) and (XML (extensible	USPAT;	2003/04/07 11:43
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	US-PGPUB; EPO; JPO;	
		transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj	DERWENT;	
		protocol)) and (html (hyper adj text adj markup adj	IBM_TDB	
_	94	language\$2)) and (xsl stylesheet\$2) (((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2003/04/07 12:41
	34	((request\$5 same (user\$2 client\$2)) and (XML (extensible	US-PGPUB;	2003/04/07 12.41
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj	DERWENT;	
		protocol)) and (html (hyper adj text adj markup adj language\$2)) and (xsl stylesheet\$2)) and parameter\$2	IBM_TDB	
_	22935	(request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5	USPAT;	2003/04/07 12:48
		service\$2) service\$2) and (format\$4 form\$2)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	6633	((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5	USPAT;	2003/04/07 12:50
		service\$2) service\$2) and (format\$4 form\$2)))) and	US-PGPUB;	
		(request\$4 same parameter\$2)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	1287	(((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5	USPAT;	2003/04/07 12:50
		service\$2) service\$2) and (format\$4 form\$2)))) and	US-PGPUB;	
		(request\$4 same parameter\$2)) and (request\$4 near4 object\$2)	EPO; JPO; DERWENT;	
		ΟΣ ΟΣΙΨ Σ	IBM_TDB	
-	451	(((((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5	USPAT;	2003/04/07 12:52
		service\$2) service\$2) and (format\$4 form\$2)))) and	US-PGPUB;	
		(request\$4 same parameter\$2)) and (request\$4 near4 object\$2)) and (parameter\$2 same (request\$4 near5	EPO; JPO; DERWENT;	
		object\$2))	IBM_TDB	
		0:11:55 DM Dage 2		

	100	////request\$4 same //type\$2 sears service\$2) (identit\$2	LICDAT	2003/04/07 12:53
-	198	(((((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5 service\$2) service\$2) and (format\$4 form\$2)))) and (request\$4 same parameter\$2)) and (request\$4 near4 object\$2)) and (parameter\$2 same (request\$4 near5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/07 12:53
-	125	object\$2))) and (parameter\$2 same format\$4) ((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5 service\$2) service\$2) and (format\$4 form\$2)))) and	IBM_TDB USPAT; US-PGPUB;	2003/04/07 12:55
		(request\$4 same parameter\$2)) and (request\$4 near4 object\$2)) and (parameter\$2 same (request\$4 near5 object\$2))) and (parameter\$2 same format\$4)) and (phone	EPO; JPO; DERWENT; IBM_TDB	
-	103	cellphone cell\$10 wireless) ((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3	USPAT;	2003/04/07 12:57
	,	near5 service\$2) service\$2) and (format\$4 form\$2)))) and (request\$4 same parameter\$2)) and (request\$4 near4 object\$2)) and (parameter\$2 same (request\$4 near5 object\$2))) and (parameter\$2 same format\$4)) and (phone cellphone (cell near4 phone\$2) cellular wireless)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	67	(((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5 service\$2) service\$2) and (format\$4 form\$2)))) and (request\$4 same parameter\$2)) and (request\$4 near4	USPAT; US-PGPUB; EPO; JPO;	2003/04/07 13:24
		object\$2)) and (parameter\$2 same (request\$4 near5 object\$2))) and (parameter\$2 same format\$4)) and (phone cellphone (cell near4 phone\$2) cellular wireless)) and (html xml)	DERWENT; IBM_TDB	
-	131	(((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5 service\$2) service\$2) and (format\$4 form\$2)))) and (request\$4 same parameter\$2)) and (request\$4 near4 object\$2)) and (parameter\$2 same (request\$4 near5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/07 15:47
		object\$2)) and (parameter\$2 same (request\$4 hears) object\$2))) and (parameter\$2 same format\$4)) not (((((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5 service\$2) service\$2) and (format\$4 form\$2)))) and (request\$4 same parameter\$2)) and (request\$4 near4	IBM_TDB	·
		object\$2)) and (parameter\$2 same (request\$4 near5 object\$2))) and (parameter\$2 same format\$4)) and (phone cellphone (cell near4 phone\$2) cellular wireless)) and (html xml))		
-	147	((set near5 parameter\$2) near10 request\$4) and ((set near4 parameter\$2) near10 (format\$4 type\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 15:51
	14	(((set near5 parameter\$2) near10 request\$4) and ((set near4 parameter\$2) near10 (format\$4 type\$2))) and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:25
-	59051	request\$4 near10 (identity type\$2 service\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:26
-	2025	(request\$4 near10 (identity type\$2 service\$2)) and ((transmit\$5 send\$4 sent) near10 request\$4 near10 (database\$2 source\$2))	USPAT	2003/04/07 16:36
-	508	((request\$4 near10 (identity type\$2 service\$2)) and ((transmit\$5 send\$4 sent) near10 request\$4 near10 (database\$2 source\$2))) and (convert\$4 same (format\$4 xml))	USPAT	2003/04/07 16:38
-	427	(((request\$4 near10 (identity type\$2 service\$2)) and ((transmit\$5 send\$4 sent) near10 request\$4 near10 (database\$2 source\$2))) and (convert\$4 same (format\$4 xml))) and (protocol\$2 gateway\$2)	USPAT	2003/05/06 16:01
-	114	((((request\$4 near10 (identity type\$2 service\$2)) and ((transmit\$5 send\$4 sent) near10 request\$4 near10 (database\$2 source\$2))) and (convert\$4 same (format\$4 xml))) and (protocol\$2 gateway\$2)) and html	USPAT	2003/05/05 16:23

-	2	5913210.pn.	USPAT; US-PGPUB;	2003/05/03 13:36
			EPO; JPO; DERWENT;	
	110	////	IBM_TDB	0000/05/05 40:04
-	119	((((request\$4 near10 (identity type\$2 service\$2)) and ((transmit\$5 send\$4 sent) near10 request\$4 near10	USPAT	2003/05/05 16:24
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
	35	xml))) and (protocol\$2 gateway\$2)) and html (((((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/06 15:44
-		(((transmit\$5 send\$4 sent) near10 request\$4 near10	OSFAT	2003/03/00 13.44
		(database\$2 source\$2))) and (convert\$4 same (format\$4	(2)	
		xml))) and (protocol\$2 gateway\$2)) and html) and xml		
_	199	(request near3 object\$4) near5 parameter\$2	USPAT;	2003/05/05 16:49
		(oquot nound object i) nound parameter (US-PGPUB;	2000,00,00
			EPO; JPO;	
			IBM TDB	
-	28	((request near3 object\$4) near5 parameter\$2) and xml	USPAT;	2003/05/05 16:49
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	1	6397259.pn.	USPAT	2003/05/06 15:44
-	1 1	6397259.pn. and filter\$4	USPAT	2003/05/06 16:35
-	1	6334126.pn.	USPAT	2003/05/06 15:59
-	1	6334126.pn. and xml	USPAT	2003/05/06 16:35
-	1	(6334126.pn. and xml) and extensible (((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/06 16:00
-	436	(((transmit\$5 send\$4 sent) near10 request\$4 near10	USPAT	2003/05/06 16:05
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)		
_	23	((((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/06 16:54
	20	((transmit\$5 send\$4 sent) near10 request\$4 near10	0017(1	2003/03/00 10.54
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)) and (xsl (style near3		
		sheet\$2))		
-	1	6397259.pn. and (xml xsl)	USPAT	2003/05/06 16:35
-	1	6334126.pn. and (xml xsl)	USPAT	2003/05/06 16:36
-	0	6125391.pn	USPAT	2003/05/06 16:54
-	1	6125391.pn.	USPAT	2003/05/06 16:54
-	1	6125391.pn. and (xml xsl (style near3 sheet\$2))	USPAT	2003/05/06 16:56
-	47	communicat\$4 and (wireless cell\$8) and (convert\$4 format\$5)	USPAT	2003/05/07 13:33
		and (xml (extensible near3 language\$2)) and (xsl (style near3 sheet\$2))		
	1	6477549.pn.	USPAT	2003/05/07 11:59
		6477549.pn. and (style sheet\$2 ss)	USPAT	2003/05/07 11:09
_		6397259.pn.	USPAT	2003/05/07 12:00
_	1 1	6397259.pn. and (style sheet\$2 xsl xml ss)	USPAT	2003/05/07 13:28
_	1	6334126.pn.	USPAT	2003/05/07 13:28
-	1	6334126.pn. and (style sheet\$2 xsl xml ss)	USPAT	2003/05/07 13:28
-	682	(xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 13:35
		sheet\$2))	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
_	561	((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 13:35
		sheet\$2))) and html	US-PGPUB;	
			EPO; JPO;	
]	EAC	///wml (ovtonoible near4 language (2)) same (val /atula ====4	IBM_TDB	0000/05/07 45 50
_	546	(((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)	USPAT; US-PGPUB;	2003/05/07 15:53
		- Singe(φ∠))) and mini) and (convertib4 formatib4)	EPO; JPO;	
			IBM_TDB	
-	415	((((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 13:38
		sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2	US-PGPUB:	2000/00/07 10:00
		, , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			IBM_TDB	
				·

-	182	(((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2	USPAT; US-PGPUB; EPO; JPO;	2003/05/07 15:52
-	0	((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/07 14:09
-	233	(convert\$4 format\$4)) and protocol\$2) (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/07 14:10
	655	((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/07 15:54
-	470	(((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/08 12:27
-	192	((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/05/07 15:55
-	10	(((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/07 15:55
-	10	((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/07 16:04
-	2	("6334126" "6397259").pn.	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/05/07 16:05
-	1	(("6334126" "6397259").pn.) and filter\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/08 08:46
-	2	(("6334126" "6397259").pn.) and search	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/05/08 15:08
-	2	(("6334126" "6397259").pn.) and database	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/08 11:36
-	2	(("6334126" "6397259").pn.) and protocol	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/08 11:39
-	1	((("6334126" "6397259").pn.) and protocol) and gateway\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/08 12:07

-	1	6424979.pn.	USPAT;	2003/05/08 12:07
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	1	6424979.pn. and (xml xsl (extensible near4 language\$2) style	USPAT;	2003/05/08 12:25
		sheet\$2)	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
	646	((translat\$4 convert\$4 format\$4) same (xml (extensible near3	USPAT;	2003/05/08 12:27
_	040	language\$2))) and (xsl (style near3 sheet\$2))	US-PGPUB;	2003/03/00 12.27
		language\$2))) and (xsi (style flears sheet\$2))		
			EPO; JPO;	
	4	(// 1/ / 1/ / 1/ / 1/ / 1/ / 1/ / 1/ /	IBM_TDB	0000/05/00 40:00
-	477	(((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/08 12:28
		sheet\$2))) and (convert\$4 format\$4)) and protocol\$2	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	265	(((translat\$4 convert\$4 format\$4) same (xml (extensible near3	USPAT;	2003/05/08 12:28
		language\$2))) and (xsl (style near3 sheet\$2))) not ((((xml	US-PGPUB:	
		(extensible near4 language\$2)) same (xsl (style near4	EPO; JPO;	
		sheet\$2))) and (convert\$4 format\$4)) and protocol\$2)	IBM_TDB	
	3	(("6334126" "6397259" "6012098").pn.) and (link\$2 url\$2)	USPAT;	2003/05/08 15:19
-		(1 0004120 0001200 0012000 J.ph. Janu (iiikyz uniyz)	US-PGPUB;	2000/00/00 10.18
			EPO; JPO;	
		2004400	IBM_TDB	000044455
-	1		USPAT	2003/11/05 14:22
-	1		USPAT	2003/11/10 13:26
-	1	6334126.pn. and database and server\$2	USPAT	2003/11/05 18:06
-	1	6334126.pn. and server\$2	USPAT	2003/11/05 18:19
-	0	6334126.pn. and filter\$\$	USPAT	2003/11/06 11:44
_	1	6317790.pn.	USPAT	2003/11/06 11:44
-	1	6487538.pn.	USPAT	2003/11/06 11:45
_	2	("6334126" "6397259").pn.	USPAT	2003/11/10 13:26
	2	(("6334126" "6397259").pn.) and (protocol\$2 gateway\$2)	USPAT	2003/11/10 14:54
-	2	(("6334126" "6397259").pn.) and (protocolic gateways2)	USPAT	2003/11/10 14:54
-				
-	2	(("6334126" "6397259").pn.) and xml	USPAT	2003/11/10 16:13
-	5584	709/207,218,223,246.ccls.	USPAT;	2004/07/02 09:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	309	455/405.ccls.	USPAT;	2004/07/02 09:44
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
_	5953	707/4,5,10.ccls.	USPAT;	2004/07/02 09:44
		10171,0,10.000.	US-PGPUB:	
			EPO; JPO;	
			DERWENT;	
		700/000	IBM_TDB	0004/07/00 00 ::
-	684	709/236.ccls.	USPAT;	2004/07/02 09:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2334	707/102.ccls.	USPAT;	2004/07/02 09:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	1559	715/513.ccls.	USPAT;	2004/07/02 09:46
-	1339	10/010.0003.	US-PGPUB;	2007/01/02 08.40
1	1			
	1		EPO; JPO;	
	1		DERWENT;	
	L		IBM_TDB	

-	46094	(conver\$6 format\$4) same server\$2	USPAT;	2004/07/02 09:47
		,	US-PGPUB,	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3026	(conver\$6 format\$4) same server\$2 same (xml (extensible	USPAT;	2004/07/02 09:49
		near4 language\$2))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	900	(server\$2 near5 (conver\$6 format\$4)) same (xml (extensible	USPAT;	2004/07/02 10:06
		near4 language\$2))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	